CERTIFICATE OF ANALYSIS

Customer: Viva La Hemp
1071 NW 31st Ave Suite B2-A
Pompano Beach, FL 33069

Sample ID: 88459
Laboratory Number: ATL-5265

ACCURATE TEST LAB

Report Issue Date
3/9/2022

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: D8-THC-O Disposable Hybrid/White Runtz

Unit Weight:2ml

Hernan Prieto

CANNABINOID PROFILE

Order Date
3/7/2022

Analysis Date
3/9/2022

Cannabinoids (HPLC) Results Cannabinoid (%)

Test	LOQ (mg/g)	mg/disposable	%
Cannabidivarin (CBDV)	<0.09	0	0
Cannabidiolic Acid (CBD-A)	<0.05	0	0
Cannabigerolic Acid (CBG-A)	<0.04	0	0
Cannabigerol (CBG)	<0.04	0	0
Cannabidiol (CBD)	<0.04	0	0
Cannabinol (CBN)	<0.03	0	0
Delta 9-Tetrahydrocannabinol (THC)	<0.02	0	0
Delta 8-Tetrahydrocannabinol	<0.03	1219.92	60.996
Delta 10-Tetrahydrocannabinol (THC)	<0.02	0	0
Delta 8-THC-O Acetate	<0.07	504.90	25.250
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.02	0	0

Cannabinoids Total

Test	mg/disposable	%
Max Active THC	0	0
Max Active CBD	0	0
T.Active Cannabinoids	1724.84	86.24
Total Cannabinoids	1724.84	86.24

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected T:Trace Cannabinoids detected but are below limit of quantification.