CERTIFICATE OF ANALYSIS



Mother Nature Health & Wellness

Customer: 18832 SW 28th St Miramar, FL 33029 Batch #: 602432

Laboratory Number: ATL-17568

Report Issue Date: 1/2/2024

Order Date: 12/27/2023

Analysis Date: 12/29/2023

Extraction Technician: LL Analytical Chemist: LL

Kim Dang

Sample Description:

Pre Roll Ice Cream Cake Hybrid

Unit Weight: 1.7212g / Pre Roll

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D	THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	129.004	7.495	CBN	<0.011	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
CBG-A	<0.008	87.299	5.072	D9-THC	<0.014	0.671	0.039
CBG	<0.007	7.625	0.443	D8-THC	<0.005	N/D	N/D
CBD	<0.008	3.477	0.202	9S-D10-TH	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D	9R-D10-TH0	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
СВС	<0.009	2.014	0.117
CBC-A	<0.005	5.973	0.347
THC-A	<0.005	4.837	0.281

	Max Active THC	mg/preroll	%	
1		4.91	0.29	
/				
	Max Active CBD	mg/preroll	%	
		116.61	6.78	

Total Active	mg/preroll	%
Cannabinoids	213.05	12.38
//		
Total	mg/preroll	%
Cannabinoids	240.90	14.00

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8- Tetrahydrocannabinol(D8-THC)

9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



