

# CERTIFICATE OF ANALYSIS



**Customer:** Mother Nature Health & Wellness  
18832 SW 28th St  
Miramar, FL 33029


**Batch #:** 602434  
**Laboratory Number:** ATL-17570

**Report Issue Date:** 1/2/2024  
**Order Date:** 12/27/2023  
**Analysis Date:** 12/29/2023

**Sample Description:**

Pre Roll Northern Lights Indica

**Unit Weight:** 1.6959g / Pre Roll



**Extraction Technician:** LL  
**Analytical Chemist:** LL

*Kim Dang*  
Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	114.253	6.737
CBG-A	<0.008	83.353	4.915
CBG	<0.007	7.106	0.419
CBD	<0.008	2.917	0.172
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	<LOQ	<LOQ
D9-THC	<0.014	0.594	0.035
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	1.849	0.109
CBC-A	<0.005	5.325	0.314
THC-A	<0.005	4.223	0.249

Max Active THC	mg/preroll	%
	4.30	0.25

Total Active Cannabinoids	mg/preroll	%
	194.22	11.45

Max Active CBD	mg/preroll	%
	103.12	6.08

Total Cannabinoids	mg/preroll	%
	219.62	12.95

## NOTES

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromene Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

