

CERTIFICATE OF ANALYSIS



Customer: Mother Nature Health & Wellness
18832 SW 28th St
Miramar, FL 33029

Batch #: 602436
Laboratory Number: ATL-17572

Report Issue Date: 1/2/2024
Order Date: 12/27/2023
Analysis Date: 12/29/2023

Sample Description:

Pre Roll Strawberry Kush Sativa

Unit Weight: 1.7010g / Pre Roll



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	117.250	6.893
CBG-A	<0.008	81.563	4.795
CBG	<0.007	7.093	0.417
CBD	<0.008	3.045	0.179
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	<LOQ	<LOQ
D9-THC	<0.014	0.595	0.035
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	1.888	0.111
CBC-A	<0.005	5.511	0.324
THC-A	<0.005	4.389	0.258

Max Active THC	mg/preroll	%
	4.44	0.26

Total Active Cannabinoids	mg/preroll	%
	195.74	11.51

Max Active CBD	mg/preroll	%
	105.87	6.22

Total Cannabinoids	mg/preroll	%
	221.33	13.01

NOTES

Cannabidiol (CBD), Cannabidiolic Acid (CBDA), Cannabigerol (CBG), Cannabigerolic Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinolic Acid (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromenic Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

