

CERTIFICATE OF ANALYSIS



Customer: Mother Nature Health & Wellness
18832 SW 28th St
Miramar, FL 33029

Batch #: 602435
Laboratory Number: ATL-17571

Report Issue Date: 1/2/2024
Order Date: 12/27/2023
Analysis Date: 12/29/2023

Sample Description:

Pre Roll Tropicana Cookies Sativa

Unit Weight: 1.6959g / Pre Roll



Extraction Technician: LL
Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	106.689	6.291
CBG-A	<0.008	83.591	4.929
CBG	<0.007	7.326	0.432
CBD	<0.008	3.120	0.184
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	<LOQ	<LOQ
D9-THC	<0.014	0.678	0.040
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	1.984	0.117
CBC-A	<0.005	5.478	0.323
THC-A	<0.005	4.392	0.259

Max Active THC	mg/preroll	%
	4.53	0.27
Max Active CBD	mg/preroll	%
	96.69	5.70

Total Active Cannabinoids	mg/preroll	%
	188.72	11.13
Total Cannabinoids	mg/preroll	%
	213.26	12.58

NOTES

Blank space for notes.

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromene Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

