

# CERTIFICATE OF ANALYSIS



Viva La hemp  
**Customer:** Miramar FL 33029

**Batch #:** 602666  
**Laboratory Number:** ATL-17546

**Report Issue Date:** 12/28/2023  
**Order Date:** 12/26/2023  
**Analysis Date:** 12/28/2023

**Sample Description:**

THCA 2ml Cartridge - Blue Cheese

**Unit Weight:** 2g / Cartridge



**Extraction Technician:** LL  
**Analytical Chemist:** LL

*Kim Dang*  
 Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	18.680	0.934
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1631.940	81.597
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	5.880	0.294

<b>Max Active THC</b>	mg/cartridge	%
	5.16	0.26
<b>Max Active CBD</b>	mg/cartridge	%
	N/D	N/D

<b>Total Active Cannabinoids</b>	mg/cartridge	%
	1655.78	82.79
<b>Total Cannabinoids</b>	mg/cartridge	%
	1656.50	82.83

## NOTES

Cannabidiol (CBD) Cannabidiolic Acid (CBDA) Cannabigerol (CBG) Cannabigerolic Acid (CBGA) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD)  
 Tetrahydrocannabinol (THC) Tetrahydrocannabinolic Acid (THCA) Cannabinol (CBN) Delta-9-Tetrahydrocannabinol (D9-THC) Delta-8-Tetrahydrocannabinol (D8-THC)  
 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) Cannabichromene (CBC) Cannabichromenic Acid (CBCA)  
 Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

