

CERTIFICATE OF ANALYSIS



Viva La hemp
Customer: Miramar FL 33029

Batch #: 602668
Laboratory Number: ATL-17548

Report Issue Date: 12/28/2023
Order Date: 12/26/2023
Analysis Date: 12/28/2023

Sample Description:
 THCA 2ml Cartridge - Critical



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 2g / Cartridge

Kim Dang
 Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	18.380	0.919
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	1605.260	80.263
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/cartridge	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	5.860	0.293

Max Active THC	mg/cartridge	%
	5.14	0.26
Max Active CBD	mg/cartridge	%
	N/D	N/D

Total Active Cannabinoids	mg/cartridge	%
	1628.78	81.44
Total Cannabinoids	mg/cartridge	%
	1629.50	81.48

NOTES

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Cannabivarin (CBDV), Cannabivarin Acid (CBDVA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromene Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.

The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

