## CERTIFICATE OF ANALYSIS



Viva La Hemp Customer: Miramar, FL 33029

Batch #: 605454

Laboratory Number: ATL-21023

Report Issue Date: 5/10/2024

Order Date: 5/7/2024

Analysis Date: 5/9/2024

**Extraction Technician: LL** Analytical Chemist: LL

Kim Dang

LOQ

(mg/g)

< 0.009

< 0.005

< 0.005

**Analyte** 

CBC

CBC-A

THC-A

Results

mg/preroll

2.096

4.329

0.926

%

0.154

0.318

0.068

## Sample Description:

D8,THCA Pre Roll - Holy Shiz

Unit Weight: 1.3613g / Pre Roll

## **CANNABINOID PROFILE - BASIC**

Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D	THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D	CBN	<0.011	N/D	N/D
CBG-A	<0.008	139.111	10.219	D9-THC	<0.014	1 007	0.074
CBG	<0.007	4.520	0.332	D8-THC	<0.005	N/D	N/D
CBD	<0.008	N/D	N/D	9S-D10-THC	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D	9R-D10-THC	<0.002	N/D	N/D

\	mg/preroll 134.37	% 9.87	
	mg/preroll	%	

151.99

11.17

**Total Active** Cannabinoids

**Cannabinoids** 

Total

	Max Active THC	mg/preroll	%	
		1.82	0.13	
	Max Active CBD	mg/preroll	%	
1		N/D	N/D	

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Defta-9- Tetrahydrocannabinol(D9-THC) Defta-8- Tetrahydrocannabinol(D8-THC)

9S-Defta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Defta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

