CERTIFICATE OF ANALYSIS



Viva La Hemp Customer: Miramar, FL 33029

Batch #: 605456

Laboratory Number: ATL-21025

Report Issue Date: 5/10/2024

Order Date: 5/7/2024

Analysis Date: 5/9/2024

Sample Description:

D8, THCA Pre Roll - Mother Gorilla

Unit Weight: 1.5812g / Pre Roll



Extraction Technician: LL Analytical Chemist: LL

Kim Dang Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%		Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	N/D
CBG-A	<0.008	152.965	9.674	4	D9-THC	<0.014	1.059	0.067
CBG	<0.007	5.550	0.351		D8-THC	<0.005	N/D	N/D
CBD	<0.008	N/D	N/D		9S-D10-TH	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D		9R-D10-TH	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
СВС	<0.009	1.929	0.122
CBC-A	<0.005	3.890	0.246
THC-A	<0.005	0.965	0.061

	Max Active THC	mg/preroll	%	
1		1.91	0.12	
/				
	Max Active CBD	mg/preroll	ı// %	
		N/D	N/D	

Total Active	mg/preroll	%
Cannabinoids	147.10	9.30
Total	mg/preroll	%
Cannabinoids	166.36	10.52

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Defta-9- Tetrahydrocannabinol(D9-THC) Defta-8- Tetrahydrocannabinol(D8-THC)

9S-Defta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Defta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



