

CERTIFICATE OF ANALYSIS



Viva La Hemp
Customer: Miramar, FL 33029

Batch #: 605452
Laboratory Number: ATL-21021

Report Issue Date: 5/9/2024
Order Date: 5/7/2024
Analysis Date: 5/9/2024

Sample Description:

D8,THCA Pre Roll - Newton's Lemon



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 0.8585g / Pre Roll

Kim Dang
 Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	92.718	10.800
CBG	<0.007	3.005	0.350
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	0.678	0.079
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	1.339	0.156
CBC-A	<0.005	2.816	0.328
THC-A	<0.005	0.635	0.074

Max Active THC	mg/preroll	%
	1.24	0.14
Max Active CBD	mg/preroll	%
	N/D	N/D

Total Active Cannabinoids	mg/preroll	%
	89.46	10.42
Total Cannabinoids	mg/preroll	%
	101.19	11.79

NOTES

[Empty box for notes]

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromene Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

