

Viva La Hemp Customer: Miramar, FL 33029

Batch #: 605422US Laboratory Number: ATL-21779

Sample Description:

D8 THCA Pre Roll - Bubble Gum Cake

Unit Weight: 1.5708g / Pre Roll

605422US 1.07

Report Issue Date: 6/13/2024

Order Date: 6/6/2024 Analysis Date: 6/12/2024

Extraction Technician: LL Analytical Chemist: LL

Kim Dang Laboratory Manage

## **CANNABINOID PROFILE - BASIC**

Analyte	LOQ (mg/g)	Results mg/preroll	%		Analyte	LOQ (mg/g)	Results mg/preroll	%	f	Analyte	LOQ (mg/g)	Results	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D	$\square$	СВС	<0.009	2.073	0.132
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	0.942	0.060		CBC-A	<0.005	4.430	0.282
CBD-A	<0.008	45.208	2.878		CBN	<0.011	N/D	N/D		THC-A	<0.005	210.974	13.431
CBG-A	<0.008	77.236	4,917	R	D9-THC	<0.014	3.189	0.203					
CBG	<0.007	4.430	0.282		D8-THC	<0.005	N/D	N/D					
CBD	<0.008	3.566	0.227		9S-D10-TH	<0.005	N/D	N/D		K	$\mathcal{F}$		
тнсу	<0.008	N/D	N/D		9R-D10-THC	<0.002	N/D	N/D					
		Max	Active 1	нс	mg/preroll 188.21	% 11.98	Total Ac Cannabi	X		mg/preroll 310.44	% 19.76		
		Мах	Active (	CBD	mg/preroll 43.21	% 2.75	Total Cannab	inoids	$\langle \rangle$	mg/preroll 352.05	% 22.41		
NOT	TES		ł		XX								

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9:THC) Delta-8-Tetrahydrocannabinol(D8:THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)



(954) 515 - 0200

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th PI, Fort Lauderdale FL, 33309 USA.

