## CERTIFICATE OF ANALYSIS



Viva La Hemp Customer: Miramar, FL 33029

Batch #: 605421US

**Laboratory Number: ATL-21778** 

Report Issue Date: 6/13/2024

**Order Date:** 6/6/2024

Analysis Date: 6/12/2024

**Extraction Technician: LL** Analytical Chemist: LL

Kim Dang

LOQ

(mg/g)

< 0.009

< 0.005

< 0.005

**Analyte** 

CBC

CBC-A

THC-A

Results

mg/preroll

2.058

4.270

215.212

%

0.134

0.278

14.013

## Sample Description:

D8 THCA Pre Roll - Miami Yeyo

Unit Weight: 1.5358g / Pre Roll



## **CANNABINOID PROFILE - BASIC**

Analyte	LOQ (mg/g)	Results mg/preroll	%	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D	D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D	THCV-A	<0.005	0.983	0.064
CBD-A	<0.008	44.108	2.872	CBN	<0.011	N/D	N/D
CBG-A	<0.008	74.087	4.824	D9-THC	<0.014	2 949	0.192
CBG	<0.007	4.239	0.276	D8-THC	<0.005	N/D	N/D
CBD	<0.008	3.548	0.231	9S-D10-TH	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D	9R-D10-TH0	<0.002	N/D	N/D

Total Active Cannabinoids	mg/preroll % 309.86 20.18	3
Total Cannabinoids	mg/preroll % 351.45 22.88	3

	Max Active THC	mg/preroll 191.69	% 12.48
	Max Active CBD	mg/preroll 42.23	% 2.75
1			

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Defta-9- Tetrahydrocannabinol(D9-THC) Defta-8- Tetrahydrocannabinol(D8-THC)

9S-Defta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Defta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

