

# CERTIFICATE OF ANALYSIS



Viva La Hemp  
**Customer:** Miramar, FL 33029


**Batch #:** 605424US  
**Laboratory Number:** ATL-21781

**Report Issue Date:** 6/13/2024  
**Order Date:** 6/6/2024  
**Analysis Date:** 6/12/2024

**Sample Description:**

D8 THCA Pre Roll - Purple Mango

**Unit Weight:** 1.6861g / Pre Roll



**Extraction Technician:** LL  
**Analytical Chemist:** LL

*Kim Dang*  
 Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	42.861	2.542
CBG-A	<0.008	78.775	4.672
CBG	<0.007	4.384	0.260
CBD	<0.008	3.355	0.199
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	1.096	0.065
CBN	<0.011	N/D	N/D
D9-THC	<0.014	3.372	0.200
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	2.023	0.120
CBC-A	<0.005	4.418	0.262
THC-A	<0.005	239.831	14.224

<b>Max Active THC</b>	mg/preroll	%
	213.70	12.67
<b>Max Active CBD</b>	mg/preroll	%
	40.94	2.43

<b>Total Active Cannabinoids</b>	mg/preroll	%
	335.04	19.87
<b>Total Cannabinoids</b>	mg/preroll	%
	380.11	22.54

## NOTES

Cannabidiol (CBD) Cannabidiol Acid (CBDA) Cannabigerol (CBG) Cannabigerol Acid (CBGA) Cannabivarin (CBDV) Cannabivarin Acid (CBDVA) Tetrahydrocannabinol (THC) Delta-9-Tetrahydrocannabinol (D9-THC) Delta-8-Tetrahydrocannabinol (D8-THC) 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) Cannabichromene (CBC) Cannabichromenic Acid (CBCA) Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

