

Viva La Hemp Customer: Miramar, FL 33029

Batch #: 605423US Laboratory Number: ATL-21780

Sample Description: D8 THCA Pre Roll - Sin City Diesel

Unit Weight: 1.6108g / Pre Roll

21:21**

Report Issue Date: 6/13/2024

Order Date: 6/6/2024 Analysis Date: 6/12/2024

Extraction Technician: LL Analytical Chemist: LL

Kim Dang Laboratory Manage

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%		Analyte	LOQ (mg/g)	Results mg/preroll	%	\square	Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D		CBC	<0.009	1.869	0.116
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	1.224	0.076		CBC-A	<0.005	4.301	0.267
CBD-A	<0.008	44.297	2.750		CBN	<0.011	N/D	N/D		THC-A	<0.005	272.531	16.919
CBG-A	<0.008	76.610	4.756		D9-THC	<0.014	3.383	0.210					
CBG	<0.007	4.091	0.254		D8-THC	<0.005	N/D	N/D					
CBD	<0.008	3.383	0.210		9S-D10-TH	€ <0.005	N/D	N/D		\square	\mathcal{F}_{\leq}		
тнси	<0.008	N/D	N/D		9R-D10-TH0	<0.002	N/D	N/D	\bigwedge				
		Max	Active 1	гнс	mg/preroll 242.39	% 15.05	Total Ac Cannabi	/	K	mg/preroll 362.68	% 22.52		
		Мах	Active (CBD	mg/preroll 42.23	% 2.62	Total Cannabi	inoids		mg/preroll 411.69	% 25.56		
NOT	TES				XIX			XX					

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9:THC) Delta-8-Tetrahydrocannabinol(D8:THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)





Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)





(954) 515 - 0200 info@accuratetestlab.com