CERTIFICATE OF ANALYSIS



Viva La Hemp Customer: Miramar, FL 33029

Batch #: 605773US

Laboratory Number: ATL-21792

Report Issue Date: 6/14/2024

Order Date: 6/6/2024

Analysis Date: 6/12/2024

Extraction Technician: LL Analytical Chemist: LL

Kim Dang

Results

mg/preroll

0.769

1.764

100.507

%

0.126

0.289

16.463

LOQ

(mg/g)

< 0.009

< 0.005

< 0.005

Analyte

CBC

CBC-A

THC-A

Sample Description:

Mini Pre Rolls - THCA w/ Sugar Diamonds - (5ct) 4oz Chubby Gorilla Clear w/ Black Cap - Hybrid - Grape Bubba

Unit Weight: 0.6105g / Pre Roll

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%		Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	0.458	0.075
CBD-A	<0.008	18.468	3.025		CBN	<0.011	N/D	N/D
CBG-A	<0.008	28.254	4.628	4	D9-THC	<0.014	1.197	0.196
CBG	<0.007	1.600	0.262		D8-THC	<0.005	N/D	N/D
CBD	<0.008	1.453	0.238		9S-D10-TH	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D		9R-D10-TH	<0.002	N/D	N/D

Max Active THC	mg/preroll	%	Total Active	mg/preroll %
	89.34	14.63	Cannabinoids	136.11 22.29
Max Active CBD	mg/preroll	%	Total	mg/preroll %
	17.65	2.89	Cannabinoids	154.47 25.30

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Can

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

