

# CERTIFICATE OF ANALYSIS



Viva La Hemp  
Customer: Mirama, FL 33029

Batch #: 605426  
Laboratory Number: ATL-21016

Report Issue Date: 5/9/2024  
Order Date: 5/7/2024  
Analysis Date: 5/9/2024

**Sample Description:**

THCA Pre Roll - Mandarin Cookies

Unit Weight: 1.3223g / Pre Roll



Extraction Technician: LL  
Analytical Chemist: LL

*Kim Dang*  
Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	143.086	10.821
CBG	<0.007	4.906	0.371
CBD	<0.008	N/D	N/D
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	1.111	0.084
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	2.195	0.166
CBC-A	<0.005	4.522	0.342
THC-A	<0.005	1.031	0.078

<b>Max Active THC</b>	mg/preroll	%
	2.02	0.15

<b>Max Active CBD</b>	mg/preroll	%
	N/D	N/D

<b>Total Active Cannabinoids</b>	mg/preroll	%
	138.71	10.49

<b>Total Cannabinoids</b>	mg/preroll	%
	156.85	11.86

## NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDVA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC >>> 1305 NW 65th PI, Fort Lauderdale FL, 33309 USA.



(954) 515 - 0200  
info@accuratetestlab.com

