## **CERTIFICATE OF ANALYSIS**



Viva La Hemp Customer: Mirama, FL 33029

Batch #: 605424

Laboratory Number: ATL-21014

Report Issue Date: 5/9/2024

**Order Date: 5/7/2024** 

Analysis Date: 5/9/2024

**Extraction Technician: LL** Analytical Chemist: LL

Kim Dang

## Sample Description:

THCA Pre Roll - Purple Mango

Unit Weight: 1.4537g / Pre Roll

## **CANNABINOID PROFILE - BASIC**

Analyte	LOQ (mg/g)	Results mg/preroll	%		Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D
CBD-A	<0.008	N/D	N/D		CBN	<0.011	N/D	N/D
CBG-A	<0.008	162.407	11.172	4	D9-THC	<0.014	1.105	0.076
CBG	<0.007	5.001	0.344		D8-THC	<0.005	N/D	N/D
CBD	<0.008	N/D	N/D		9S-D10-TH0	<0.005	N/D	N/D
THCV	<0.008	N/D	N/D		9R-D10-TH0	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
СВС	<0.009	2.151	0.148
CBC-A	<0.005	4.536	0.312
THC-A	<0.005	1.003	0.069

Max Active THC	mg/preroll	%	Total Active	mg/preroll	%
	1.98	0.14	Cannabinoids	155.71	10.71
Max Active CBD	mg/preroll N/D	% N/D	Total Cannabinoids	mg/preroll 176.20	% 12.12

## **NOTES**

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)

Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN), Defta-9- Tetrahydrocannabinol(D9-THC) Defta-8- Tetrahydrocannabinol(D8-THC)

9S-Defta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Defta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)

Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

