

**Certificate of Analysis**  
**Compliance Test**  
Florida

Sample Matrix:  
HEMP  
Flower  
Inhalation



<b>Client Information:</b> <b>Viva La Hemp</b> 1071 NW 31st Avenue Ste B2 Pompano Beach, FL 33009	<b>Manufacturing Facility:</b> USA HEMP SOLUTIONS 2630 W 81ST HIALEAH, FL 33016 Production Date: 2026-01-26	<b>Order Details:</b> Order # VIV260126-200001 Order Date: 2026-01-26 Sample # AAH1989 Completion Date: 2026-02-16	<b>Batch Data:</b> Batch # 605421 Batch Date: 2025-12-02 Extracted From: Hemp Sampling Date: 2026-01-28 Lab Batch Date: 2026-01-28	<b>Food Permits:</b> Permit #: 393546 State: FL - #393546
--	---	--	---	---

<b>Initial Gross Weight:</b> 11.100 g	<b>Net Weight per Package:</b> 10000.000 mg	<b>Net Weight per Serving:</b> 3333.3333 mg	<b>Servings Per Package:</b> 3
--	--	--	-----------------------------------




Product Image

<b>Potency Tested</b>	<b>Pesticides Passed</b>	<b>2-3-Butanedione Passed</b>	<b>Heavy Metals Passed</b>	<b>Mycotoxins Passed</b>
<b>Residual Solvents Passed</b>	<b>Water Activity Passed</b>	<b>Pathogenic Microbiology Passed</b>	<b>Microbiology Petrifilm Passed</b>	<b>Vitamin E Passed</b>

**Potency Summary**

<b>Total HHC</b>	<b>0.0210%</b>	<b>Delta 9 THC</b>	<b>&lt;LOQ</b>
per Serving	0.700 mg	per Serving	0.00 mg
per Package	2.10 mg	per Package	0.00 mg
<b>Total Active CBD</b>	<b>&lt;LOQ</b>	<b>Total CBG</b>	<b>7.69%</b>
per Serving	0.00 mg	per Serving	256 mg
per Package	0.00 mg	per Package	769 mg
<b>Total CBN</b>	<b>0.580%</b>	<b>Total Cannabinoids</b>	<b>36.7%</b>
per Serving	19.3 mg	per Serving	1220 mg
per Package	58.0 mg	per Package	3670 mg
<b>Total Active THC</b>	<b>0.0149%</b>	<b>Total DELTA-8-THC</b>	<b>18.9%</b>
per Serving	0.497 mg	per Serving	631 mg
per Package	1.49 mg	per Package	1890 mg
<b>Total THCP</b>	<b>7.88%</b>		
per Serving	263 mg		
per Package	788 mg		

\* Summary Results determined from two distinct Potency Tests - Potency 25 (LCUV) + Potency(GA)+THCP

  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, Client supplied the net weight of mg The results apply to the sample as received.  
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.

**Certificate of Analysis**  
**Compliance Test**  
Florida

Sample Matrix:  
HEMP  
Flower  
Inhalation



<b>Client Information:</b> <b>Viva La Hemp</b> 1071 NW 31st Avenue Ste B2 Pompano Beach, FL 33009	<b>Manufacturing Facility:</b> USA HEMP SOLUTIONS 2630 W 81ST HIALEAH, FL 33016 Production Date: 2026-01-26	<b>Order Details:</b> Order # VIV260126-200001 Order Date: 2026-01-26 Sample # AAH1989 Completion Date: 2026-02-16	<b>Batch Data:</b> Batch # 605421 Batch Date: 2025-12-02 Extracted From: Hemp Sampling Date: 2026-01-28 Lab Batch Date: 2026-01-28	<b>Food Permits:</b> Permit #: 393546 State: FL - #393546
--	---	--	---	---

<b>Initial Gross Weight:</b> 11.100 g	<b>Net Weight per Package:</b> 10000.000 mg	<b>Net Weight per Serving:</b> 3333.3333 mg	<b>Servings Per Package:</b> 3
--	--	--	-----------------------------------


**Potency 25 (LCUV) + Potency(GA)+THCP** **Tested** SOP13.001,SOP13.050 (LCUV,LCMS)

Specimen Weight: 2439.780 mg

Pieces For Panel: 5

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)	Per Serving (mg)	Per Package (mg)
Delta-8 THC	15.000	2.600E-5	0.0125	189.190	18.9	631	1890
CBGA	15.000	8.000E-5	0.0125	79.470	7.95	265	795
Delta9-THCP	15.000	1.170E-5	0.01	77.260	7.73	258	773
CBG	15.000	2.480000E-4	0.0125	7.130	0.713	23.8	71.3
CBN	15.000	1.400E-5	0.0125	5.800	0.580	19.3	58.0
CBCA	15.000	1.070000E-4	0.0125	2.9300	0.293	9.77	29.3
Delta8-THCP	15.000	3.750E-4	0.0125	1.580	0.158	5.27	15.8
CBC	1500.000	2.760000E-5	0.00075	1.5200	0.152	5.07	15.2
Delta-8 THCV	15.000	4.000000E-5	0.0125	1.1600	0.116	3.87	11.6
CBT	15.000	2.000000E-4	0.0125	0.5900	0.0590	1.97	5.90
THCA-A	15.000	3.200E-5	0.0125	0.170	0.0170	0.567	1.70
THCB	15.000	1.800000E-4	0.0163	0.1700	0.0170	0.567	1.70
CBD	15.000	5.400000E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
CBDA	15.000	1.000000E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
CBDV	15.000	6.500000E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
CBDVA	15.000	1.400000E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
CBL	15.000	3.500000E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
CBNA	15.000	9.500000E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.700000E-5	0.025	<LOQ	<LOQ	<LOQ	<LOQ
Delta-9 THC	15.000	1.300E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
Delta-9 THC-O Acetate	15.000	7.700E-5	0.025	<LOQ	<LOQ	<LOQ	<LOQ
Exo-THC	15.000	2.300E-4	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
THCH	15.000	3.500000E-4	0.0163	<LOQ	<LOQ	<LOQ	<LOQ
THCV	15.000	7.000000E-6	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
THCVA	15.000	4.700000E-5	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
Delta-10 THC	15.000	3.000E-6	0.0125	<LOQ	<LOQ	<LOQ	<LOQ
Total Active THC	15.000			0.1491	0.0149	0.497	1.49
Total Active CBD	15.000			<LOQ	<LOQ	<LOQ	<LOQ

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1  
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



**Certificate of Analysis**  
**Compliance Test**  
Florida

Sample Matrix:  
HEMP  
Flower  
Inhalation



<b>Client Information:</b> <b>Viva La Hemp</b> 1071 NW 31st Avenue Ste B2 Pompano Beach, FL 33009	<b>Manufacturing Facility:</b> USA HEMP SOLUTIONS 2630 W 81ST HIALEAH, FL 33016 Production Date: 2026-01-26	<b>Order Details:</b> Order # VIV260126-200001 Order Date: 2026-01-26 Sample # AAHI989 Completion Date: 2026-02-16	<b>Batch Data:</b> Batch # 605421 Batch Date: 2025-12-02 Extracted From: Hemp Sampling Date: 2026-01-28 Lab Batch Date: 2026-01-28	<b>Food Permits:</b> Permit #: 393546 State: FL - #393546
--	---	--	---	---

<b>Initial Gross Weight:</b> 11.100 g	<b>Net Weight per Package:</b> 10000.000 mg	<b>Net Weight per Serving:</b> 3333.3333 mg	<b>Servings Per Package:</b> 3
--	--	--	-----------------------------------

<b>Water Activity Multi State - Flower</b> Specimen Weight: 0.500 g	<b>Passed</b>	
Dilution Factor: 1.000	SOP13.016 (Water Activity Analyzer)	
Analyte	Action Level (aw)	Result (aw)
Water Activity	0.65	0.338

<b>Microbiology Plating Multi State - Flower</b> Specimen Weight: 991.900 mg	<b>Passed</b>						
Dilution Factor: 1.000	SOP13.003 (Petrifilm)						
Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
				Total Yeast/Mold	1000	100000	<1000

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

**Definitions are found on page 1**

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



**Certificate of Analysis**  
**Compliance Test**  
Florida

Sample Matrix:  
HEMP  
Flower  
Inhalation



<b>Client Information:</b> <b>Viva La Hemp</b> 1071 NW 31st Avenue Ste B2 Pompano Beach, FL 33009	<b>Manufacturing Facility:</b> USA HEMP SOLUTIONS 2630 W 81ST HIALEAH, FL 33016 Production Date: 2026-01-26	<b>Order Details:</b> Order # VIV260126-200001 Order Date: 2026-01-26 Sample # AAH1989 Completion Date: 2026-02-16	<b>Batch Data:</b> Batch # 605421 Batch Date: 2025-12-02 Extracted From: Hemp Sampling Date: 2026-01-28 Lab Batch Date: 2026-01-28	<b>Food Permits:</b> Permit #: 393546 State: FL - #393546
--	---	--	---	---

<b>Initial Gross Weight:</b> 11.100 g	<b>Net Weight per Package:</b> 10000.000 mg	<b>Net Weight per Serving:</b> 3333.3333 mg	<b>Servings Per Package:</b> 3
--	--	--	-----------------------------------

<b>Pathogenic Microbiology SAE (MicroArray) Multi State</b>				<b>Passed</b>	
Specimen Weight: 1010.900 mg				SOP13.019 (Micro Array)	
Dilution Factor: 1.000					
Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus flavus	1	Absence in 1g	E. Coli	1	Absence in 1g
Aspergillus fumigatus	1	Absence in 1g	Escherichia coli specific gene	1	Absence in 1g
Aspergillus niger	1	Absence in 1g	Salmonella	1	Absence in 1g
Aspergillus terreus	1	Absence in 1g	Shiga toxin-producing E. coli (STEC)	1	Absence in 1g

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

**Definitions are found on page 1**  
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



**Certificate of Analysis**  
**Compliance Test**  
Florida

Sample Matrix:  
HEMP  
Flower  
Inhalation



**Client Information:**

**Viva La Hemp**  
1071 NW 31st Avenue Ste  
B2  
Pompano Beach, FL  
33009

**Manufacturing Facility:**

USA HEMP SOLUTIONS  
2630 W 81ST  
HIALEAH, FL 33016  
Production Date: 2026-01-26

**Order Details:**

Order # VIV260126-200001  
Order Date: 2026-01-26  
Sample # AAH1989  
Completion Date: 2026-02-16

**Batch Data:**

Batch # 605421  
Batch Date: 2025-12-02  
Extracted From: Hemp  
Sampling Date: 2026-01-28  
Lab Batch Date: 2026-01-28

**Food Permits:**

Permit #: 393546  
State: FL - #393546

**Initial Gross Weight:**  
11.100 g

**Net Weight per Package:**  
10000.000 mg

**Net Weight per Serving:**  
3333.3333 mg

**Servings Per Package:**  
3



**2,3-Butanedione Multi State**

Specimen Weight: 16.500 mg

**Passed**

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
2,3-Butanedione	0.000	0.2	0.2	<LOQ



**Vitamin E Multi State**

Specimen Weight: 2439.780 mg

**Passed**

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.470

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	0.705	500	500	<LOQ



**Metals- FL+GA**

Specimen Weight: 252.210 mg

**Passed**

SOP13.048 (ICP-MS)

Dilution Factor: 198.247

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	200	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	200	126.599	Mercury (Hg)	0.016	100	200	<LOQ

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

**Definitions are found on page 1**

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



**Certificate of Analysis**  
**Compliance Test**  
Florida

Sample Matrix:  
HEMP  
Flower  
Inhalation



<b>Client Information:</b> <b>Viva La Hemp</b> 1071 NW 31st Avenue Ste B2 Pompano Beach, FL 33009	<b>Manufacturing Facility:</b> USA HEMP SOLUTIONS 2630 W 81ST HIALEAH, FL 33016 Production Date: 2026-01-26	<b>Order Details:</b> Order # VIV260126-200001 Order Date: 2026-01-26 Sample # AAHI989 Completion Date: 2026-02-16	<b>Batch Data:</b> Batch # 605421 Batch Date: 2025-12-02 Extracted From: Hemp Sampling Date: 2026-01-28 Lab Batch Date: 2026-01-28	<b>Food Permits:</b> Permit #: 393546 State: FL - #393546
--	---	--	---	---

<b>Initial Gross Weight:</b> 11.100 g	<b>Net Weight per Package:</b> 10000.000 mg	<b>Net Weight per Serving:</b> 3333.3333 mg	<b>Servings Per Package:</b> 3
--	--	--	-----------------------------------

<b>Mycotoxins Multi State</b> Specimen Weight: 607.510 mg	<b>Passed</b> SOP13.007 (LCMS/GCMS)																																								
Dilution Factor: 2.470																																									
<table border="1"> <thead> <tr> <th>Analyte</th> <th>LOD (ppb)</th> <th>LOQ (ppb)</th> <th>Action Level (ppb)</th> <th>Result (ppb)</th> <th>Analyte</th> <th>LOD (ppb)</th> <th>LOQ (ppb)</th> <th>Action Level (ppb)</th> <th>Result (ppb)</th> </tr> </thead> <tbody> <tr> <td>Aflatoxin B1</td> <td>0.304</td> <td>4.9</td> <td>20</td> <td>&lt;LOQ</td> <td>Aflatoxin G2</td> <td>0.271</td> <td>4.9</td> <td>20</td> <td>&lt;LOQ</td> </tr> <tr> <td>Aflatoxin B2</td> <td>0.077</td> <td>4.9</td> <td>20</td> <td>&lt;LOQ</td> <td>Aflatoxin Total</td> <td>0.077</td> <td>4.9</td> <td>20</td> <td>&lt;LOQ</td> </tr> <tr> <td>Aflatoxin G1</td> <td>0.304</td> <td>4.9</td> <td>20</td> <td>&lt;LOQ</td> <td>Ochratoxin A</td> <td>0.754</td> <td>9.8</td> <td>20</td> <td>&lt;LOQ</td> </tr> </tbody> </table>	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Aflatoxin B1	0.304	4.9	20	<LOQ	Aflatoxin G2	0.271	4.9	20	<LOQ	Aflatoxin B2	0.077	4.9	20	<LOQ	Aflatoxin Total	0.077	4.9	20	<LOQ	Aflatoxin G1	0.304	4.9	20	<LOQ	Ochratoxin A	0.754	9.8	20	<LOQ	
Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)																																
Aflatoxin B1	0.304	4.9	20	<LOQ	Aflatoxin G2	0.271	4.9	20	<LOQ																																
Aflatoxin B2	0.077	4.9	20	<LOQ	Aflatoxin Total	0.077	4.9	20	<LOQ																																
Aflatoxin G1	0.304	4.9	20	<LOQ	Ochratoxin A	0.754	9.8	20	<LOQ																																

<b>Residual Solvents- FL+GA</b> Specimen Weight: 3.500 mg	<b>Passed</b> SOP13.039 (GCMS-HS)																																																																																																																								
Dilution Factor: 1.000																																																																																																																									
<table border="1"> <thead> <tr> <th>Analyte</th> <th>LOD (ppm)</th> <th>LOQ (ppm)</th> <th>Action Level (ppm)</th> <th>Result (ppm)</th> <th>Analyte</th> <th>LOD (ppm)</th> <th>LOQ (ppm)</th> <th>Action Level (ppm)</th> <th>Result (ppm)</th> </tr> </thead> <tbody> <tr> <td>1,1-Dichloroethene</td> <td>0.009</td> <td>1.6</td> <td>8</td> <td>&lt;LOQ</td> <td>Heptane</td> <td>0.001</td> <td>13.9</td> <td>5000</td> <td>&lt;LOQ</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>0.000</td> <td>0.4</td> <td>2</td> <td>&lt;LOQ</td> <td>Hexane</td> <td>0.068</td> <td>11.7</td> <td>250</td> <td>&lt;LOQ</td> </tr> <tr> <td>Acetone</td> <td>0.015</td> <td>20.8</td> <td>750</td> <td>&lt;LOQ</td> <td>Isopropyl alcohol</td> <td>0.005</td> <td>13.9</td> <td>500</td> <td>58.114</td> </tr> <tr> <td>Acetonitrile</td> <td>0.060</td> <td>11.7</td> <td>60</td> <td>&lt;LOQ</td> <td>Methanol</td> <td>0.001</td> <td>6.9</td> <td>250</td> <td>8.392</td> </tr> <tr> <td>Benzene</td> <td>0.000</td> <td>0.2</td> <td>1</td> <td>&lt;LOQ</td> <td>Methylene chloride</td> <td>0.003</td> <td>24.3</td> <td>125</td> <td>&lt;LOQ</td> </tr> <tr> <td>Butane</td> <td>0.417</td> <td>25</td> <td>5000</td> <td>&lt;LOQ</td> <td>Pentane</td> <td>0.037</td> <td>20.8</td> <td>750</td> <td>&lt;LOQ</td> </tr> <tr> <td>Chloroform</td> <td>0.000</td> <td>0.4</td> <td>2</td> <td>&lt;LOQ</td> <td>Propane</td> <td>0.031</td> <td>58.3</td> <td>5000</td> <td>&lt;LOQ</td> </tr> <tr> <td>Ethanol</td> <td>0.002</td> <td>27.8</td> <td>5000</td> <td>533.657</td> <td>Toluene</td> <td>0.001</td> <td>29.2</td> <td>150</td> <td>&lt;LOQ</td> </tr> <tr> <td>Ethyl Acetate</td> <td>0.001</td> <td>11.1</td> <td>400</td> <td>&lt;LOQ</td> <td>Total Xylenes</td> <td>0.000</td> <td>29.2</td> <td>150</td> <td>&lt;LOQ</td> </tr> <tr> <td>Ethyl Ether</td> <td>0.005</td> <td>13.9</td> <td>500</td> <td>&lt;LOQ</td> <td>Trichloroethylene</td> <td>0.001</td> <td>4.9</td> <td>25</td> <td>&lt;LOQ</td> </tr> <tr> <td>Ethylene Oxide</td> <td>0.004</td> <td>1</td> <td>5</td> <td>&lt;LOQ</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	1,1-Dichloroethene	0.009	1.6	8	<LOQ	Heptane	0.001	13.9	5000	<LOQ	1,2-Dichloroethane	0.000	0.4	2	<LOQ	Hexane	0.068	11.7	250	<LOQ	Acetone	0.015	20.8	750	<LOQ	Isopropyl alcohol	0.005	13.9	500	58.114	Acetonitrile	0.060	11.7	60	<LOQ	Methanol	0.001	6.9	250	8.392	Benzene	0.000	0.2	1	<LOQ	Methylene chloride	0.003	24.3	125	<LOQ	Butane	0.417	25	5000	<LOQ	Pentane	0.037	20.8	750	<LOQ	Chloroform	0.000	0.4	2	<LOQ	Propane	0.031	58.3	5000	<LOQ	Ethanol	0.002	27.8	5000	533.657	Toluene	0.001	29.2	150	<LOQ	Ethyl Acetate	0.001	11.1	400	<LOQ	Total Xylenes	0.000	29.2	150	<LOQ	Ethyl Ether	0.005	13.9	500	<LOQ	Trichloroethylene	0.001	4.9	25	<LOQ	Ethylene Oxide	0.004	1	5	<LOQ						
Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)																																																																																																																
1,1-Dichloroethene	0.009	1.6	8	<LOQ	Heptane	0.001	13.9	5000	<LOQ																																																																																																																
1,2-Dichloroethane	0.000	0.4	2	<LOQ	Hexane	0.068	11.7	250	<LOQ																																																																																																																
Acetone	0.015	20.8	750	<LOQ	Isopropyl alcohol	0.005	13.9	500	58.114																																																																																																																
Acetonitrile	0.060	11.7	60	<LOQ	Methanol	0.001	6.9	250	8.392																																																																																																																
Benzene	0.000	0.2	1	<LOQ	Methylene chloride	0.003	24.3	125	<LOQ																																																																																																																
Butane	0.417	25	5000	<LOQ	Pentane	0.037	20.8	750	<LOQ																																																																																																																
Chloroform	0.000	0.4	2	<LOQ	Propane	0.031	58.3	5000	<LOQ																																																																																																																
Ethanol	0.002	27.8	5000	533.657	Toluene	0.001	29.2	150	<LOQ																																																																																																																
Ethyl Acetate	0.001	11.1	400	<LOQ	Total Xylenes	0.000	29.2	150	<LOQ																																																																																																																
Ethyl Ether	0.005	13.9	500	<LOQ	Trichloroethylene	0.001	4.9	25	<LOQ																																																																																																																
Ethylene Oxide	0.004	1	5	<LOQ																																																																																																																					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1  
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



**Certificate of Analysis**  
**Compliance Test**  
Florida

Sample Matrix:  
HEMP  
Flower  
Inhalation



**Client Information:**

**Viva La Hemp**  
1071 NW 31st Avenue Ste  
B2  
Pompano Beach, FL  
33009

**Manufacturing Facility:**

USA HEMP SOLUTIONS  
2630 W 81ST  
HIALEAH, FL 33016  
Production Date: 2026-01-26

**Order Details:**

Order # VIV260126-200001  
Order Date: 2026-01-26  
Sample # AAH1989  
Completion Date: 2026-02-16

**Batch Data:**

Batch # 605421  
Batch Date: 2025-12-02  
Extracted From: Hemp  
Sampling Date: 2026-01-28  
Lab Batch Date: 2026-01-28

**Food Permits:**

Permit #: 393546  
State: FL - #393546

**Initial Gross Weight:**  
11.100 g

**Net Weight per Package:**  
10000.000 mg

**Net Weight per Serving:**  
3333.3333 mg

**Servings Per Package:**  
3

**Pesticides - FL+ GA - Inhalation**

Specimen Weight: 607.510 mg

**Passed**

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.470

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	0.399	23.3	100	<LOQ	Fludioxonil	0.360	24.8	100	<LOQ
Acephate	0.141	24.8	100	<LOQ	Hexythiazox	0.113	24.8	100	<LOQ
Acequinocyl	2.178	24.8	100	<LOQ	Imazalil	0.258	24.8	100	<LOQ
Acetamiprid	0.140	24.8	100	<LOQ	Imidacloprid	0.402	24.8	400	<LOQ
Aldicarb	0.203	24.8	100	<LOQ	Kresoxim Methyl	0.182	24.8	100	<LOQ
Azoxystrobin	0.188	24.8	100	<LOQ	Malathion	0.223	24.8	200	<LOQ
Bifenazate	0.086	24.8	100	<LOQ	Metaxalyl	0.270	24.8	100	<LOQ
Bifenthrin	0.100	24.8	100	<LOQ	Methiocarb	0.118	24.8	100	<LOQ
Boscalid	0.595	24.8	100	<LOQ	Methomyl	0.064	24.8	100	<LOQ
Captan	6.430	323	700	<LOQ	methyl-Parathion	2.390	24.8	100	<LOQ
Carbaryl	0.122	24.8	500	<LOQ	Mevinphos	0.093	24.8	100	<LOQ
Carbofuran	0.086	24.8	100	<LOQ	Myclobutanil	0.573	24.8	24.8	<LOQ
Chlorantraniliprole	0.084	24.8	1000	<LOQ	Naled	0.069	24.8	250	<LOQ
Chlordane	9.671	24.8	100	<LOQ	Oxamyl	0.041	24.8	500	<LOQ
Chlorfenapyr	1.500	24.8	100	<LOQ	Paclobutrazol	0.186	24.8	100	<LOQ
Chlormequat Chloride	0.205	24.8	1000	<LOQ	Pentachloronitrobenzene	7.950	24.8	150	<LOQ
Chlorpyrifos	0.109	24.8	100	<LOQ	Permethrin	0.624	24.8	100	<LOQ
Clofentazine	0.212	24.8	200	<LOQ	Phosmet	0.127	24.8	100	<LOQ
Coumaphos	0.206	24.8	100	<LOQ	Piperonylbutoxide	0.149	24.8	3000	<LOQ
Cyfluthrin	0.980	24.8	500	<LOQ	Prallethrin	1.476	24.8	100	<LOQ
Cypermethrin	0.985	24.8	500	<LOQ	Propiconazole	0.294	24.8	100	<LOQ
Daminozide	1.655	24.8	100	<LOQ	Propoxur	0.100	24.8	100	<LOQ
Diazinon	0.212	24.8	100	<LOQ	Pyrethrins	0.067	12.9	500	<LOQ
Dichlorvos	1.130	24.8	100	<LOQ	Pyridaben	0.140	24.8	200	<LOQ
Dimethoate	0.063	24.8	100	<LOQ	Spinetoram	0.424	24.8	200	<LOQ
Dimethomorph	2.581	24.8	200	<LOQ	Spinosad	0.134	24.8	100	<LOQ
Ethoprophos	0.151	24.8	100	<LOQ	Spiromesifen	0.120	24.8	100	<LOQ
Etofenprox	0.172	24.8	100	<LOQ	Spirotetramat	0.211	24.8	100	<LOQ
Etoxazole	0.866	24.8	100	<LOQ	Spiroxamine	0.533	24.8	100	<LOQ
Fenhexamid	0.588	24.8	100	<LOQ	Tebuconazole	0.230	24.8	100	<LOQ
Fenoxycarb	0.274	24.8	100	<LOQ	Thiacloprid	0.170	24.8	100	<LOQ
Fenpyroximate	0.198	24.8	100	<LOQ	Thiamethoxam	0.179	24.8	500	<LOQ
Fipronil	0.317	24.8	100	<LOQ	Trifloxystrobin	0.705	24.8	100	<LOQ
Fonicamid	0.466	24.8	100	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

**Definitions are found on page 1**

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.

